	Amplication No.	[A-disorder
	Application No.	Applicant(s)
Notice of Allowability	10/693,406 Examiner	HIROYUKI SUZUKI
	Rashmi K. Sharma	3651
The MAILING DATE of this communication appeall claims being allowable, PROSECUTION ON THE MERITS IS therewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RO	(OR REMAINS) CLOSED in this ap) or other appropriate communication IGHTS. This application is subject to	plication. If not included n will be mailed in due course. THIS
1. This communication is responsive to 10/24/2003.		
2. ☑ The allowed claim(s) is/are <u>1-3 and 5</u> .		
3. $igotimes$ The drawings filed on <u>24 October 2003</u> are accepted by th	e Examiner.	
 4. Acknowledgment is made of a claim for foreign priority unanalysis. a) All b) Some* c) None of the: Certified copies of the priority documents have Certified copies of the priority documents have Copies of the certified copies of the priority do International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 	e been received. e been received in Application No	
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONN THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		complying with the requirements
 A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give 		
6. CORRECTED DRAWINGS (as "replacement sheets") must (a) including changes required by the Notice of Draftspers 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1	son's Patent Drawing Review (PTO s Amendment / Comment or in the C .84(c)) should be written on the drawin	Office action of engs in the front (not the back) of
each sheet. Replacement sheet(s) should be labeled as such in to the sheet. The property of the deposit of and/or INFORMATION about the deposit attached Examiner's comment regarding REQUIREMENT	sit of BIOLOGICAL MATERIAL r	must be submitted. Note the
Attachment(s) 1. ☑ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material	6. ☑ Interview Summary Paper No./Mail Dal 08), 7. ☑ Examiner's Amendr	te <u>12/20/2004</u> .

Application/Control Number: 10/693,406

Art Unit: 3651

EXAMINER'S AMENDMENT

Page 2

Authorization for this examiner's amendment was given in a telephone interview with Richard Goldberg on 12/20/04.

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

In claim 1, insert -- first -- before the term "cylinders" in lines 15 and 18.

Cancel claim 4.

In claim 5, delete the term "carry" in line 2 and insert -- carrying -- before the term belt.

The following changes to the drawings have been approved by the examiner and agreed upon by applicant: Figure 1 should be labeled "Prior Art". In order to avoid abandonment of the application, applicant must make these above agreed upon drawing changes.

Reasons For Allowance

Claims 1-5 have been allowed.

The following is an examiner's statement of reasons for allowance:

Independent claim 1 recites the structural limitation of a board process unit comprising grasping members mounted respectively relative to the two moving

members by the first cylinders for movement toward and away from the two moving members such that both ends of the carrying belt are adapted to be grasped by the grasping members by moving the cylinders respectively mounted on the two moving members and second cylinders for moving the pushing rollers into engagement with the process board for pushing the process board, in combination with the rest of the recited structure, clearly defines over the prior art.

The unique arrangement of the grasping members holding and moving the carrying belt within this conveyor processing unit, allows for the grasping members to prevent any lag in the carrying belt while the board to be processed is in the processing position.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Rashmi K. Sharma whose telephone number is 703-306-5952. The examiner can normally be reached on Monday-Thursday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Eileen Lillis can be reached on 703-308-3248. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Application/Control Number: 10/693,406

Art Unit: 3651

Page 4

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

KATHY MATECKI

SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 3600